



www.zonetech.in

समीक्षा

RSSB JE 2026

HYBRID TEST SERIES

RESULT

Paper ID

602

Stream

**Civil Engineering
(Diploma)**

Date

30-08-2026

NEXT TEST



06-09-2026



SOIL MECHANICS

S.No	Student Code	Total Question	Attempt Ques	Right Ques	Wrong Ques	Obtain Marks	Ranking
1	ST081709	80	80	77	3	76.01	1
2	25ZCE139	80	75	63	12	59.04	2
3	26ZCE015	80	63	58	5	56.35	3
4	ST100944	80	76	59	17	53.39	4
5	26ZCE056	80	63	53	10	49.7	5
6	ST055347	80	51	48	3	47.01	6
7	26ZRF014	80	70	52	18	46.06	7
8	ST055280	80	50	47	3	46.01	8
9	ST055272	80	49	46	3	45.01	9
10	ST055324	80	49	46	3	45.01	10
11	ST055322	80	50	46	4	44.68	11
12	ST055289	80	51	46	5	44.35	12
13	21ZCE244	80	57	47	10	43.7	13
14	ST055377	80	49	45	4	43.68	14
15	25ZCE201	80	58	47	11	43.37	15
16	ST055309	80	47	44	3	43.01	16
17	ST055307	80	47	44	3	43.01	17
18	26ZRF023	80	64	48	16	42.72	18
19	ST055387	80	46	43	3	42.01	19
20	ST055276	80	48	43	5	41.35	20
21	ST055297	80	49	43	6	41.02	21
22	ST055311	80	45	42	3	41.01	22
23	ST055270	80	50	43	7	40.69	23
24	ST055352	80	44	41	3	40.01	24
25	26ZRF025	80	61	45	16	39.72	25

26	ST055315	80	45	41	4	39.68	26
27	ST055375	80	43	40	3	39.01	27
28	ST055386	80	44	40	4	38.68	28
29	ST055350	80	46	40	6	38.02	29
30	ST055287	80	46	40	6	38.02	30
31	ST055348	80	42	39	3	38.01	31
32	ST055290	80	43	39	4	37.68	32
33	ST073991	80	58	42	16	36.72	33
34	ST055273	80	46	39	7	36.69	34
35	16ZCE030	80	75	46	29	36.43	35
36	ST055291	80	51	40	11	36.37	36
37	25ZCE101	80	72	45	27	36.09	37
38	ST055367	80	48	39	9	36.03	38
39	ST055355	80	44	38	6	36.02	39
40	26ZRF004	80	65	43	22	35.74	40
41	ST055321	80	49	39	10	35.7	41
42	ST055393	80	46	38	8	35.36	42
43	20ZCE202	80	51	39	12	35.04	43
44	ST097475	80	64	42	22	34.74	44
45	26ZCE232	80	44	37	7	34.69	45
46	26ZEV010	80	69	43	26	34.42	46
47	ST052879	80	61	41	20	34.4	47
48	ST055323	80	38	35	3	34.01	48
49	ST055292	80	39	35	4	33.68	49
50	23ZCE186	80	60	40	20	33.4	50
51	ST055389	80	49	37	12	33.04	51

52	ST055396	80	37	34	3	33.01	52
53	ST055304	80	37	34	3	33.01	53
54	ST055330	80	38	34	4	32.68	54
55	ST055358	80	39	34	5	32.35	55
56	ST055294	80	39	34	5	32.35	56
57	ST055362	80	48	36	12	32.04	57
58	26ZCE049	80	44	35	9	32.03	58
59	ST055338	80	50	36	14	31.38	59
60	26ZRF010	80	60	38	22	30.74	60
61	ST055336	80	36	32	4	30.68	61
62	26ZEV003	80	41	33	8	30.36	62
63	ST055342	80	34	31	3	30.01	63
64	ST055305	80	35	31	4	29.68	64
65	ST055349	80	42	32	10	28.7	65
66	ST055345	80	34	30	4	28.68	66
67	ST055346	80	34	30	4	28.68	67
68	ST055296	80	34	30	4	28.68	68
69	ST055301	80	33	29	4	27.68	69
70	ST027176	80	72	38	34	26.78	70
71	ST055303	80	36	29	7	26.69	71
72	ST055340	80	32	28	4	26.68	72
73	24ZCE189	80	61	35	26	26.42	73
74	ST055327	80	37	29	8	26.36	74
75	ST055369	80	33	28	5	26.35	75
76	25ZCB060	80	66	36	30	26.1	76
77	26ZCE261	80	54	33	21	26.07	77

78	ST055275	80	35	28	7	25.69	78
79	ST055264	80	32	27	5	25.35	79
80	ST055331	80	33	27	6	25.02	80
81	ST055328	80	28	25	3	24.01	81
82	ST055312	80	28	25	3	24.01	82
83	25ZCE121	80	71	35	36	23.12	83
84	ST082654	80	51	30	21	23.07	84
85	ST055271	80	31	25	6	23.02	85
86	ST055380	80	27	24	3	23.01	86
87	ST055374	80	28	24	4	22.68	87
88	ST055385	80	28	24	4	22.68	88
89	24ZCE082	80	45	28	17	22.39	89
90	19ZCE582	80	58	31	27	22.09	90
91	ST055281	80	26	23	3	22.01	91
92	ST055316	80	26	23	3	22.01	92
93	23ZCE310	80	55	30	25	21.75	93
94	ST100716	80	47	28	19	21.73	94
95	ST055298	80	28	23	5	21.35	95
96	25ZCE198	80	53	29	24	21.08	96
97	ST055282	80	25	22	3	21.01	97
98	ST055378	80	25	22	3	21.01	98
99	26ZRF021	80	54	29	25	20.75	99
100	26ZRF026	80	54	29	25	20.75	100
101	ST055370	80	30	23	7	20.69	101
102	26ZCE086	80	40	25	15	20.05	102
103	ST055395	80	24	21	3	20.01	103

104	ST055274	80	23	20	3	19.01	104
105	ST055259	80	23	20	3	19.01	105
106	17ZCE379	80	60	29	31	18.77	106
107	19ZCE057	80	44	25	19	18.73	107
108	25ZCE205	80	28	21	7	18.69	108
109	ST055372	80	22	19	3	18.01	109
110	26ZCE001	80	55	27	28	17.76	110
111	24ZCE170	80	47	25	22	17.74	111
112	ST055319	80	27	20	7	17.69	112
113	ST055317	80	23	19	4	17.68	113
114	ST055283	80	21	18	3	17.01	114
115	ST055341	80	21	18	3	17.01	115
116	25ZCE103	80	62	28	34	16.78	116
117	ST068461	80	46	24	22	16.74	117
118	ST055293	80	26	19	7	16.69	118
119	ST055269	80	23	18	5	16.35	119
120	25ZCE135	80	64	28	36	16.12	120
121	ST028267	80	56	26	30	16.1	121
122	ST055394	80	20	17	3	16.01	122
123	ST055390	80	20	17	3	16.01	123
124	ST033761	80	52	24	28	14.76	124
125	ST08006	80	48	23	25	14.75	125
126	26ZCE217	80	41	21	20	14.4	126
127	ST055363	80	21	16	5	14.35	127
128	ST055266	80	18	15	3	14.01	128
129	ST055284	80	28	17	11	13.37	129

130	ST055326	80	24	16	8	13.36	130
131	ST055286	80	21	15	6	13.02	131
132	ST055333	80	24	15	9	12.03	132
133	ST055334	80	16	13	3	12.01	133
134	ST055329	80	17	13	4	11.68	134
135	25ZCE148	80	70	26	44	11.48	135
136	ST055361	80	23	14	9	11.03	136
137	26ZCE218	80	41	18	23	10.41	137
138	26ZCE036	80	58	22	36	10.12	138
139	ST080811	80	79	27	52	9.84	139
140	25ZCE131	80	71	25	46	9.82	140
141	ST055391	80	20	12	8	9.36	141
142	ST055353	80	20	12	8	9.36	142
143	ST055384	80	16	11	5	9.35	143
144	25ZCE199	80	57	21	36	9.12	144
145	ST057637	80	53	20	33	9.11	145
146	ST055257	80	25	13	12	9.04	146
147	ST055267	80	17	11	6	9.02	147
148	26ZRF016	80	43	17	26	8.42	148
149	ST055278	80	27	13	14	8.38	149
150	ST055371	80	23	12	11	8.37	150
151	ST055279	80	19	11	8	8.36	151
152	ST055320	80	15	10	5	8.35	152
153	25ZCE122	80	64	22	42	8.14	153
154	26ZCE239	80	65	22	43	7.81	154
155	ST055310	80	13	9	4	7.68	155

156	ST018648	80	42	16	26	7.42	156
157	26ZCE075	80	26	12	14	7.38	157
158	ST055260	80	14	9	5	7.35	158
159	ST055344	80	14	9	5	7.35	159
160	ST055308	80	11	8	3	7.01	160
161	ST097408	80	48	17	31	6.77	161
162	ST055366	80	12	8	4	6.68	162
163	ST055376	80	22	10	12	6.04	163
164	ST055337	80	10	7	3	6.01	164
165	ST055343	80	15	8	7	5.69	165
166	ST055265	80	15	8	7	5.69	166
167	26ZRF011	80	64	20	44	5.48	167
168	26ZCE105	80	48	16	32	5.44	168
169	25ZCE143	80	44	15	29	5.43	169
170	26ZRF009	80	40	14	26	5.42	170
171	ST055313	80	20	9	11	5.37	171
172	ST055277	80	16	8	8	5.36	172
173	ST055299	80	9	6	3	5.01	173
174	ST055356	80	15	7	8	4.36	174
175	ST055314	80	11	6	5	4.35	175
176	ST055325	80	11	6	5	4.35	176
177	25ZCE166	80	60	18	42	4.14	177
178	ST055332	80	20	8	12	4.04	178
179	ST055360	80	8	5	3	4.01	179
180	ST055351	80	21	8	13	3.71	180
181	ST055379	80	13	6	7	3.69	181

182	24ZRG270	80	50	15	35	3.45	182
183	ST055382	80	7	4	3	3.01	183
184	ST055354	80	7	4	3	3.01	184
185	ST055262	80	7	4	3	3.01	185
186	ST055302	80	10	4	6	2.02	186
187	ST055268	80	6	3	3	2.01	187
188	ST055285	80	11	4	7	1.69	188
189	ST058480	80	7	3	4	1.68	189
190	ST055261	80	13	4	9	1.03	190
191	ST055339	80	5	2	3	1.01	191
192	ST055335	80	10	3	7	0.69	192
193	ST055357	80	6	2	4	0.68	193
194	ST055373	80	6	2	4	0.68	194
195	ST055381	80	15	4	11	0.37	195
196	ST055388	80	11	3	8	0.36	196
197	ST079924	80	7	2	5	0.35	197
198	ST055383	80	8	2	6	0.02	198
199	ST076695	80	0	0	0	0	199
200	26ZRF018	80	38	10	28	0	200
201	25ZCE036	80	45	12	33	0	201
202	25ZCE157	80	56	46	10	0	202
203	26ZCE216	80	43	19	24	0	203
204	26ZCE228	80	48	25	23	0	204
205	26ZEV017	80	46	35	11	0	205
206	25ZCE159	80	64	14	50	0	206
207	ST055184	80	43	28	15	0	207

208	ST055295	80	13	3	10	-0.3	208
209	ST055300	80	2	0	2	-0.66	209
210	ST055263	80	2	0	2	-0.66	210
211	ST055365	80	2	0	2	-0.66	211
212	ST055359	80	2	0	2	-0.66	212
213	ST055364	80	16	3	13	-1.29	213
214	ST055288	80	4	0	4	-1.32	214
215	ST055368	80	5	0	5	-1.65	215
216	ST055392	80	6	0	6	-1.98	216
217	ST055318	80	6	0	6	-1.98	217
218	ST055258	80	7	0	7	-2.31	218
219	ST055306	80	9	0	9	-2.97	219

आकाश Batch RSSB-JE

CIVIL ENGG. Diploma

- ✓ Complete Syllabus Coverage
- ✓ Topic-Wise DPP & Workbook Practice
- ✓ Regular Test Series
- ✓ PDF Notes & Study Material
- ✓ Dedicated Doubt Support

तेजस Practice Batch

CIVIL ENGG. Diploma

- ✓ Total 3500+ Questions
- ✓ 2000+ Tech Question
- ✓ 1500+ Non Tech Question
- ✓ Get Question & Solution Pdf
- ✓ Dedicated Doubt Support



ZONE TECH OFFICIAL



ZONE TECH OFFICIAL



JOIN NOW